




AGGLO™

Porcelain Tile




www.everstone.com.au





MURANO




1200x600 Graphic Patterns





LIDO




1200x600 Graphic Patterns





RIALTO




1200x600 Graphic Patterns








TORCELLO



1200x600 Graphic Patterns


LIDO

MURANO

TORCELLO

RIALTO


Available sizes :



1200x600



600x600



600x300

± 10MM

Matt Finish

Name	Product Code	Nominal Size	Finish	Faces	Pc/Box
Agglo Lido	GP-AGG-LID12060M	1200x600	Matt	4	2
Agglo Lido	GP-AGG-LID6060M	600x600	Matt	8	4
Agglo Lido	GP-AGG-LID6030M	600x300	Matt	16	6
Agglo Murano	GP-AGG-MUR12060M	1200x600	Matt	4	2
Agglo Murano	GP-AGG-MUR6060M	600x600	Matt	8	4
Agglo Murano	GP-AGG-MUR6030M	600x300	Matt	16	6
Agglo Rialto	GP-AGG-RIA12060M	1200x600	Matt	4	2
Agglo Rialto	GP-AGG-RIA6060M	600x600	Matt	8	4
Agglo Rialto	GP-AGG-RIA6030M	600x300	Matt	16	6
Agglo Torcello	GP-AGG-TOR12060M	1200x600	Matt	4	2
Agglo Torcello	GP-AGG-TOR6060M	600x600	Matt	8	4
Agglo Torcello	GP-AGG-TOR6030M	600x300	Matt	16	6

TECHNICAL SPECIFICATIONS				RECOMMENDED APPLICATIONS	
	Water Absorption (ISO10545-3)	≤ 0.5% (Result 0.06%)		Chemical Resistance (ISO10545-13)	PASS (A-LA-HA)
	Breaking Strength (ISO10545-4)	PASS ≥ 1300 N		Stain Resistance (ISO10545-14)	PASS
	Modulus of Rupture (ISO10545-4)	PASS ≥ 35 N/MM ²		Slip Resistance (AS/NZS 4586 Appendix A, D)	R 10 P 3
	Abrasion Resistance (ISO10545-7)	CLASS 4		Matt Finish	
	Frost Resistance (ISO10545-12)	PASS		Oil Ramp	
				Wet pendulum	
				Shade Variation	V3

Subject to local slip resistance regulations for area of use or as recommended by Standard Australia guide HB 198:2014