



CONTENTS

6 / TIGER

8 / STARLIGHT

10 / CRYSTAL LACE

12 / AMAZZONITE

14 / CLIFF WHITE

16 / MARMO ANTICO

18 / TRAVERTINE WHITE

20 / MONET

22 / TAJ MAHAL MAX

24 / BLUE ROMA

26 / CANELA ROMA

28 / TAJ MAHAL

30 / WHITE BEAUTY

32 / LIGHT RED CALACATTA

34 / ARABESCATO VIOLA

36 / CARAVAGGIO GOLD

38 / BRIGHT PRECIOUS

40 / CALACATTA VIOLA

42 / TIVOLI WHITE VEIN CUT

44 / TIVOLI SAND VEIN CUT

46 / BLACK DIAMOND

48 / CRYSTAL

50 / AMBER

52 / JADE

54 / GEMSTONE

56 / MACCHIA ANTICA

58 / BALLET

60 / INVISIBLE GREY

61 / CALACATTA GOLD

62 / STATUARIO REALE

63 / CALACATTA ORO

64 / LILAC

65 / SUPER WHITE DOLOMITE

66 / STATUARIO SUPERIORE

67 / PIERRE BLACK

68 / MARQUINA BLACK

69 / ARABESCATO

70 / CELLINI

71 / PALLADIO

72 / MAGMA NATURAL

73 / MAGMA AVIO

73 / MAGMA BLACK & WHITE

74 / ABSOLUTE

75 / BASALTINA NERO

76 / EMOTION EUPHORIA

76 / BARDIGLIO

77 / STATUARIO EXTRA

78 / GRIGIO VENEZIANO

79 / PIETRA GRIGIA

79 / PIETRA TAUPE

80 / INVISIBLE GOLD

81 / MACCHIA VECCHIA

81 / PACISTA

82 / CALACATTA VAGLI

83 / CALACATTA EXTRA

84 / STATUARIO PREMIUM

85 / CALACATTA ULTIMATE

86 / VERDE

86 / AZUL

87 / METRO GREY

87 / SUPER BLACK

88 / TECHNICAL DETAILS

90 / GUIDELINES

Note: Any product information provided is solely indicative and final manufactured product may vary from what is shown. Any given dimension refers to products nominal size, not actual working size. For correct further details please contact us.

When face selection on flowing patterns panels is requested we cannot guarantee that what selected will be all available as product is packed randomly by the manufacturers.

When placing such orders (a pattern selection fee applies), we will require to be given possible alternatives else we will pack these on our discretion to the required quantities. Additionally, continuous veining patterns across sequential panels is subject to the typical tolerance of natural stone products and as such some miss-alignment must be accepted.





TIGER

BOOK MATCH PATTERN






The ALL-LIGHT effect, derived from sophisticated graphic design, reproduces the effect of natural backlighting and gives the surface a luminous radiance appealing. Its elegant, modern appearance is ideal for striking, luxurious interior design projects.

MEGASLIM

T12 PORCELAIN SLAB

MADE IN ITALY



DETAILS

size	3200x1600 mm
thickness	12mm
finish	All-Light Polished



STARLIGHT

BOOK MATCH PATTERN





The ALL-LIGHT effect, derived from sophisticated graphic design, reproduces the effect of natural backlighting and gives the surface a luminous radiance appealing. Its elegant, modern appearance is ideal for striking, luxurious interior design projects.

MEGASLIM


T12 PORCELAIN SLAB

MADE IN ITALY



DETAILS

3200x1600 mm size thickness 12mm All-Light Polished finish



CRYSTAL LACE


BOOK MATCH PATTERN



MEGASLIM

T12 PORCELAIN SLAB

MADE IN ITALY



DETAILS

size **3200x1600 mm**

thickness

12mm

finish

Polished



AMAZZONITE


BOOK MATCH PATTERN



MEGASLIM

T12 PORCELAIN SLAB

MADE IN ITALY



DETAILS

size 3200x1600 mm

thickness 12mm

finish Polished



MEGASLIM

T12 PORCELAIN SLAB

MADE IN ITALY



BOOK MATCH PATTERN



DETAILS

size 3200x1600 mm

thickness 12mm

finish 3D Natural







MEGASLIM

T12 PORCELAIN SLAB

MADE IN ITALY



DETAILS

size **3200x1600 mm**

thickness

12mm

finish **3D Honed**



MEGASLIM

T12 PORCELAIN SLAB

MADE IN ITALY



BOOK MATCH PATTERN



DETAILS

size **3200x1600 mm**

thickness

12mm

finish

3D Honed




BOOK MATCH PATTERN



MEGASLIM

T12 PORCELAIN SLAB

MADE IN ITALY



DETAILS

size **3200x1600 mm**

thickness 12mm

finish **3D Honed**



TAJ MAHAL MAX

T6 ONLY RANDOM PATTERN IN 4 DIFFERENT FACES



T12 ONLY



MEGASLIM

T6 & T12 PORCELAIN SLAB

MADE IN ITALY



DETAILS

size 3200x1600 mm

thickness 6.5 mm / 12mm

finish Honed



T6 ONLY

RANDOM PATTERN IN 4 DIFFERENT FACES



T12 ONLY

BOOK MATCH PATTERN



MEGASLIM

T6 & T12 PORCELAIN SLAB

MADE IN SPAIN



DETAILS

thickness 5.6 mm / 12mm

finish **3D Natural**



T6 ONLY

RANDOM PATTERN IN 4 DIFFERENT FACES



T12 ONLY

BOOK MATCH PATTERN



MEGASLIM

T6 & T12 PORCELAIN SLAB

MADE IN SPAIN



DETAILS

size 2800x1200x5.6mm 3200x1600x12mm

thickness 5.6 mm / 12mm

finish **3D Natural**



TAJ MAHAL

RANDOM PATTERN IN 4 DIFFERENT FACES



MEGASLIM

T9 THIN PORCELAIN SLAB



DETAILS

size 2700x900 mm

thickness 9 mm

finish Polished & Natural



WHITE BEAUTY

T6 ONLY RANDOM PATTERN IN 3 DIFFERENT FACES



T12 ONLY

SINGLE PATTERN



MEGASLIM

T6 & T12 PORCELAIN SLAB

MADE IN ITALY



DETAILS

size 2800x1200x6 mm 3200x1600x12 mm

thickness 6 mm / 12 mm

finish **Natural**



LIGHT RED CALACATTA

BOOK MATCH PATTERN



MEGASLIM

T6 & T12 PORCELAIN SLAB

MADE IN ITALY



DETAILS

size	3200x1600 mm
thickness	6.5 mm / 12mm
finish	Honed



ARABESCATO VIOLA

BOOK MATCH DATTERN



MEGASLIM

T6 & T12 PORCELAIN SLAB

MADE IN ITALY



DETAILS

thickness 6.5 mm / 12mm

finish Honed



CARAVAGGIO GOLD

BOOK MATCH PATTERN



MEGASLIM

T6 & T12 PORCELAIN SLAB

MADE IN ITALY



DETAILS

size	3200x1600 mm
thickness	6.5 mm / 12mm
finish	Honed



BRIGHT PRECIOUS

RANDOM PATTERN IN 5 DIFFERENT FACES



MEGASLIM

T6 THIN PORCELAIN SLAB

MADE IN ITALY




DETAILS

size **2800x1200 mm**

thickness 6 mm

finish **Natural**



CALACATTA VIOLA


RANDOM PATTERN IN 5 DIFFERENT FACES



MEGASLIM

T6 THIN PORCELAIN SLAB


MADE IN ITALY



DETAILS

size 2800x1200 mm thickness 6 mm

finish **Natural**



TIVOLI WHITE VEIN CUT

RANDOM PATTERN IN 4 DIFFERENT FACES



MEGASLIM

T6 THIN PORCELAIN SLAB

MADE IN ITALY



DETAILS

size


2800x1200 mm

thickness

6 mm

finish

Natural



TIVOLI SAND VEIN CUT

RANDOM PATTERN IN 4 DIFFERENT FACES



MEGASLIM

T6 THIN PORCELAIN SLAB

MADE IN ITALY



DETAILS

size **2800x1200 mm**

thickness

6 mm

finish

Natural



BLACK DIAMOND


FLOW PATTERN IN 3 DIFFERENT FACES



MEGASLIM

T6 THIN PORCELAIN SLAB

MADE IN ITALY



DETAILS

size	3200x1600 mm
thickness	6 mm
finish	Polished



CRYSTAL

FLOW PATTERN IN 3 DIFFERENT FACES



MEGASLIM

T6 THIN PORCELAIN SLAB

MADE IN ITALY



DETAILS

size 3200x1600 mm
thickness 6 mm

finish

Polished



AMBER

FLOW PATTERN IN 3 DIFFERENT FACES



MEGASLIM

T6 THIN PORCELAIN SLAB

MADE IN ITALY



DETAILS

finish

3200x1600 mm size thickness 6 mm Polished



JADE


FLOW PATTERN IN 3 DIFFERENT FACES



MEGASLIM

T6 THIN PORCELAIN SLAB

MADE IN ITALY




DETAILS

size 3200x1600 mm

thickness 6 mm

finish Polished



GEMSTONE


FLOW PATTERN IN 3 DIFFERENT FACES



MEGASLIM

T6 THIN PORCELAIN SLAB

MADE IN ITALY



DETAILS

size	3200x1600 mm
thickness	6 mm
finish	Polished



MACCHIA ANTICA

T6 ONLY

FLOW PATTERN IN 5 DIFFERENT FACES



T12 ONLY






MEGASLIM

T6 & T12 PORCELAIN SLAB

MADE IN ITALY



DETAILS

size **3200x1600 mm**

thickness 6 mm / 12mm

finish **Natural**



BALLET

BOOK MATCH PATTERN



MEGASLIM

T6 & T12 PORCELAIN SLAB

MADE IN ITALY



DETAILS

size	3200x1600 mm
thickness	6.5 mm / 12 mm
finish	Natural




INVISIBLE GREY

MEGASLIM | T6 THIN PORCELAIN SLAB



RANDOM PATTERN IN 6 DIFFERENT FACES



DETAILS

size thickness finish
2700x1200 mm 6mm Natural



CALACATTA GOLD

MEGASLIM | T6 & T12 PORCELAIN SLAB



T6 ONLY /

RANDOM PATTERN IN 4 DIFFERENT FACES



T12 ONLY /

BOOK MATCH PATTERN



DETAILS

size thickness finish
3200x1600 mm 6mm / 12mm Natural



STATUARIO REALE

MEGASLIM | T6 & T12 PORCELAIN SLAB




T6 ONLY

FLOW PATTERN IN 6 DIFFERENT FACES



T12 ONLY

BOOK MATCH PATTERN



DETAILS

thickness

3200x1600 mm 6mm / 12mm

Natural T6 / T12 Polished T6

CALACATTA ORO

MEGASLIM | T6 & T12 PORCELAIN SLAB



T6 ONLY **BOOK MATCH PATTERN**



T12 ONLY **BOOK MATCH PATTERN**




DETAILS

size thickness finish 3200x1600 mm 6.5mm / 12mm Natural



LILAC

MEGASLIM | T6 THIN PORCELAIN SLAB



RANDOM PATTERN IN 7 DIFFERENT FACES - 3200X1600 11 DIFFERENT FACES - 2800X1200 *Also available in 22 faces - 1200x1200



DETAILS

size 1200x1200 mm 2800x1200 mm 3200x1600 mm thickness

finish

Natural

SUPER WHITE DOLOMITE

MEGASLIM | T6 & T12 PORCELAIN SLAB



T6 ONLY (NATURAL FINISH)

RANDOM PATTERN IN 5 DIFFERENT FACES



T12 ONLY (SATIN FINISH)

SINGLE PATTERN



DETAILS

3200x1600 mm

size **2800x1200 mm**

thickness
6mm / 12mm

finish

Natural T6 Satin T12



STATUARIO SUPERIORE

MEGASLIM | T6 THIN PORCELAIN SLAB

MADE IN ITALY

FLOW PATTERN IN 6 DIFFERENT FACES



DETAILS

size thickness 2700x1200 mm

finish Natural




PIERRE BLACK

MEGASLIM | T6 THIN PORCELAIN SLAB

MADE IN ITALY

RANDOM PATTERN IN 6 DIFFERENT FACES



DETAILS

size thickness finish Natural 2700x1200 mm 6mm



MARQUINA BLACK

MEGASLIM | T6 THIN PORCELAIN SLAB



RANDOM PATTERN IN 7 DIFFERENT FACES



DETAILS

size thickness finish
2800x1200 mm 6mm Natural



ARABESCATO

MEGASLIM | T6 THIN PORCELAIN SLAB



RANDOM PATTERN IN 12 DIFFERENT FACES



DETAILS

size thickness finish
2800x1200 mm 6mm Natural





MEGASLIM | T6 THIN PORCELAIN SLAB

BOOK MATCH PATTERN



MADE IN ITALY

DETAILS

2700x900 mm	size	
6 mm	thickness	
Natural	finish	



PALLADIO

MEGASLIM | T6 THIN PORCELAIN SLAB

BOOK MATCH PATTERN



MADE IN ITALY

DETAILS

size	2700x900 mm
thickness	6 mm
finish	Natural

MAGMA

MADE IN ITALY

MAGMA

NATURAL




RANDOM PATTERN IN 4 DIFFERENT FACES



AVIO





RANDOM PATTERN IN 4 DIFFERENT FACES

BLACK & WHITE







RANDOM PATTERN IN 4 DIFFERENT FACES

MEGASLIM **T6 THIN PORCELAIN SLAB**



DETAILS

size	2800x1200 mm
thickness	6 mm
finish	Polished



ABSOLUTE

MEGASLIM | T6 & T12 PORCELAIN SLAB

BOOK MATCH PATTERN





DETAILS

size	3200x1600
thickness	6.5mm / 12mm
finish	Natural



BASALTINA NERO

MEGASLIM | T6 & T12 PORCELAIN SLAB



SINGLE PATTERN



DETAILS


size	3200x1600 mm
thickness	6.5mm / 12 mm
finish	Natural (Leather)

EMOTION EUPHORIA

MEGASLIM | T6 THIN PORCELAIN SLAB







DETAILS

thickness

finish

3200x1600 mm 6.5mm

Polished

BARDIGLIO

MEGASLIM | T6 THIN PORCELAIN SLAB

MADE IN ITALY





DETAILS

size 3200x1600 mm 6mm

thickness

finish

Polished




STATUARIO EXTRA

MEGASLIM | T6 THIN PORCELAIN SLAB

MADE IN ITALY

FLOW PATTERN IN 7 DIFFERENT FACES



DETAILS

3200x1600 mm

size

thickness 6mm

finish

Honed&Polished




PIETRA GRIGIA

MEGASLIM | T6 & T12 PORCELAIN SLAB







BOOK MATCH PATTERN

DETAILS


size thickness finish
3200x1600 mm 6.5mm / 12mm Natural

GRIGIO VENEZIANO

MEGASLIM | T6 & T12 PORCELAIN SLAB

MADE IN ITALY

BOOK MATCH PATTERN



DETAILS

size	3200x1600
thickness	6.5mm / 12mm
finish	Natural

PIETRA TAUPE

MEGASLIM | T6 THIN PORCELAIN SLAB







RANDOM PATTERN IN 12 DIFFERENT FACES

DETAILS

size thickness finish	2700x1200 mm	6mm	Natural
	size	thickness	finish



INVISIBLE GOLD

MEGASLIM | T6 & T12 PORCELAIN SLAB

FLOW PATTERN IN 2 DIFFERENT FACES



DETAILS

size	3200x1600
thickness	6mm / 12mm
finish	Polished(T12) & Matt (T6)

MACCHIA VECCHIA

MEGASLIM | T6 & T20 PORCELAIN SLAB





FLOW PATTERN IN 3 DIFFERENT FACES

DETAILS

size thickness finish
3200x1600 mm 6mm / 20mm Polished

PACISTA

MEGASLIM | T6 & T12 PORCELAIN SLAB





FLOW PATTERN IN 3 DIFFERENT FACES

DETAILS

3200x1600 mm	6mm / 12mm	Matt
size	thickness	finish



CALACATTA VAGLI

MEGASLIM | **VEINTECH™ FULL BODY PORCELAIN SLAB**

SINGLE PATTERN





DETAILS

3200x1600	size	
12mm	thickness	
Polished & Natural	finish	



CALACATTA EXTRA

MEGASLIM | **VEINTECH™ FULL BODY PORCELAIN SLAB**

SINGLE PATTERN





DETAILS

size	3200x1600
thickness	12 mm
finish	Polished



STATUARIO PREMIUM



CALACATTA ULTIMATE

MEGASLIM | T6 THIN PORCELAIN SLAB




DETAILS

size	3200x1600 mm
thickness	6.5 mm
finish	Honed & Polished

MEGASLIM | T6 & T12 PORCELAIN SLAB

FLOW PATTERN IN 3 DIFFERENT FACES



DETAILS


size	3200x1600 mm
thickness	5.8 mm / 12mm
finish	Polished / Natural (T6 only)

VERDE

MEGASLIM | VEINTECH™ FULL BODY PORCELAIN SLAB







DETAILS


size thickness finish
3200x1600 mm 12mm Polished

AZUL

MEGASLIM | **VEINTECH™ FULL BODY PORCELAIN SLAB**







DETAILS

size thickness finish
3200x1600 mm 12mm Polished

METRO GREY

MEGASLIM | T12 PORCELAIN SLAB





SINGLE PATTERN


DETAILS

size thickness finish
3200x1600 mm 12mm Natural

SUPER BLACK

MEGASLIM | T12 PORCELAIN SLAB





SINGLE PATTERN

DETAILS

3200v1600 mm 12mm	
size thicknes	ss finish

TECHNICAL DETAILS

Dry-pressed Porcelain Stoneware Slabs

	Specifications	Standars	Test Results
Q	Product Classification	UNI EN 14411 - Appendix G ISO 13006	Group B1a GL
	Dimensional characteristics	UNI EN ISO 10545-2	Conforming
	Water absorption	UNI EN ISO 10545-3	Conforming
	Breaking strength	LINUENUCO 40E4E 4	Conforming
	Breaking module	UNI EN ISO 10545-4	Conforming
	Deep abrasion resistance of unglazed tiles	UNI EN ISO 10545-6	N/A
****	Abrasion resistance of glazed tiles	UNI EN ISO 10545-7	III - V
	Linear thermal expansion	UNI EN ISO 10545-8	6x10 ⁻⁶ C ⁻¹
₩	Thermal shock resistance	UNI EN ISO 10545-9	Resistant
<u></u>	Crazing resistance	UNI EN ISO 10545-11	Resistant
*	Frost resistance	UNI EN ISO 10545-12	Resistant
[A	Chemical resistance	UNI EN ISO 10545-13	Resistant
	Stain resistance	UNI EN ISO 10545-14	Resistant
	Colour stability upon exposure to light	DIN 51094	Conforming
		DIN 51130	Available on request
	Friction coefficient (slip level)	DIN 51097	Available on request
		ASTM C1028 C.O.F.	Available on request
		B.C.R.	Available on request
		DCOF (BOOT 3000 - section 9.6 ANSI 137.2012)	Available on request
ilin.	Salt resistance	NaCl	Resistant
(4)	Reaction to fire	UNI EN 13501-1-2009	Available on request

FEATURES

- Thickness from 5.8mm to 12mm
- Lightweight thin panels
- Resistant to fungi
- Resistant to UV light
- Resistant to heat

- Easily cut and drill on site
- Easy to clean and maintain
- Highly compacted porcelain stoneware
- Extra large panel sizes, from 1200x1200 to 3200x1600*

APPLICATIONS


- Suitable for internal and external use
- Suitable for wet areas

 Suitable for bench tops, vanitites, splashback and feature walls

T12 THIN PORCELAIN SLABS TOP EDGE PROFILES

Shark Nose

Mitred Edge





Square Edge







^{*}Sizes and thicknesses subject to colour selection. Panels are supplied randomly.

GUIDELINES

MEGASLIM® BENCH TOPS AND VANITIES BY EVERSTONE®

Through the Megaslim® vast assortment of colours and finishes, Everstone can offer the most advanced range of ready-to-install 6mm and 12mm thick countertops.

AVAILABLE STOCK SIZES AND FINISHES

Standard benchtops are cut from 3200x1600x12mm full body porcelain panels, this allows for the manufacturing of most common bench tops requirements with a minimal amount of joints in Polished, Honed, and Matt surfaces.

DESIGN, INSTALLATION, AND MAINTENANCE GUIDE

Kitchen / Vanity cabinets checklist

The Megaslim® porcelain countertops consist of rigid high density, 6mm and 12mm thick, porcelain panels that require minimal substrate support. Tops are factory cut to match requirements with minimal on-site involvement.

No matter how the Megaslim® preassembled porcelain countertops are used, whether on a new installation or when refurbishing existing cabinets units, it is important to always plan for correct components allocation and tops dimensional limits.

When more than one unit length is required, all joints in the tops should be well supported underneath and preferably located over existing cabinet panel edges.

Any appliance weighing more than 5kg should be adequately supported by a dedicated additional frame. Avoid over-tightening or fixing any surface fittings directly to the Megaslim® panels.

Installation of countertops

Prior to installing the Megaslim® countertops, care should be taken to check the cabinets and base units for strength and stability and that each unit is correctly fastened to the wall and each other. The surface of the cabinets must be flush and free from any obstructions. Make allowance for any out of square cabinet if necessary.

The Megaslim® countertops should be placed over sound solid and truly flat cabinet frames and where required, allow for additional support to the rear and cross members of the cabinets using additional rail of an approximate dimension of 100mm to 150mm in width.

When required, any cut-outs should be located well within the limits of a single cabinet unit and placed not less than 80mm from any side joint. For square cut-outs always allow for a minimum radius of 5mm at each corner. Use only wet cutting tools to avoid generating excess heat to the tops. To adhere the tops to the cabinet, apply a continuous 10mm thick bead of adhesive over the edges of the cabinet. Glue down the Megaslim® countertops allowing a small gap between the countertop rear edge and the wall face of approximately 3 to 5mm. level adjacent tops before the adhesive cures. Once tops are installed, allow sufficient time for the bonding adhesive to cure before any additional required cutting is performed.

When overhang is required, allow adequate support. If necessary, make use of metal angle as support and adequate additional rails as spacers.

Adhesive recommendations

- · Megaslim® to cabinets: Sikaflex 252, Mapei Adesilex G19, or similar Polyurethane adhesive.
- · Megaslim® to Megaslim®: Tenax EpoxGres or Akemi Akepox 5010
- Megaslim® to perimeter: suitable colour natural curing silicon
- · Megaslim® to splashback: Laticrete 345 Platinum Adhesive
- · Megaslim® patching: Inegra Xi Bonder, Tenax EpoxGres or Akemi Akepox 5010

Care and Maintenance

The Megaslim® porcelain panels are high-quality non-porous stain, heat, and scratch-resistant, which require minimum maintenance. Spills should be cleaned using a common household detergent and rinsed with clean water. Do not use it as a chopping board.

Routine cleaning – best method to minimise stubborn stains is to wash away stains such as red wine, food, oil, or corrosive drinks by using warm water and small quantities of a mild and non-abrasive household cleaning product with a soft, non-abrasive cloth. Do not use products that have high alkaline or acidic pH levels, such as oven or drain cleaning solutions, especially on polished surfaces.

Stubborn stains – Use a nonabrasive cleaning product, microfiber cloth, or mild household cleaning products that are creambased. To remove other hard substances that may adhere to surfaces, always use a plastic scraper to gently remove the material. Avoid the use of industrial harsh chemicals on the surface of the material, such as paints, paint strippers, permanent markers, and inks.

Heat resistant – although Megaslim® is thermal shock resistant, it is always advisable to use a heat mat or similar as normal practice when placing hot pots on the bench.

Scratch-resistant – Megaslim® panels have a very hard surface and will easily withstand daily normal use. Even so, we recommend using cutting boards and avoiding sliding heavy metallic objects along the surface.

Wall and Floor Cladding

The T6 panels are best suited for wall cladding for internal or external wall cladding or internal floors and require full adhesion using a suitable adhesive.

For walls, additional hidden anchoring is required where installation exceeds the minimum height required by the local council regulation.

The substrate needs to be rigid, flat and free from any dust or contaminants that could affect the adhesive bonding.

To eliminate possible air trapped behind the panels, tap the panel surface moving from the centre towards the edges.

For further technical information, please also refer to:

Everstone Slim Slab Handling and Installation Manual.

Everstone Reduced Thickness Porcelain Specification.

Everstone has taken every care in providing accurate information in this document. Megaslim® technical information may change without notice. For the latest revision, please check on our website at: www.everstone.com.au



PHONE: 1300 918 918 FAX: **+61 2 9644 3353** sales@everstone.com.au

SYDNEY

HEAD OFFICE | SHOWROOM | WAREHOUSE 20 PRINCES ROAD EAST AUBURN NSW 2144 AUSTRALIA

MELBOURNE

OFFICE | SHOWROOM | WAREHOUSE

168 DISCOVERY ROAD DANDENONG SOUTH VIC 3175 AUSTRALIA

BRISBANE

PHONE: 0418 886 833













