



PENTHOUSE WOOD

AUSTRALIA TIMBER

**PENTHOUSE
WOOD**
AUSTRALIA TIMBER

Blackbutt



Type: Engineered Timber

Size: 1900x136x3/14mm or 1900x190x3/14mm
Package: 1900x136x3/14mm | 8 Planks, 2.0672m²/ctn,
1900x190x3/14mm | 6 Planks, 2.166m²/ctn

**PENTHOUSE
WOOD**
AUSTRALIA TIMBER

Spotted Gum



Type: Engineered Timber

Size: 1900x136x3/14mm or 1900x190x3/14mm
Package: 1900x136x3/14mm | 8 Planks, 2.0672m²/ctn,
1900x190x3/14mm | 6 Planks, 2.166m²/ctn

**PENTHOUSE
WOOD**
AUSTRALIA TIMBER

Jarrah



Type: Engineered Timber

Size: 1900x136x3/14mm or 1900x190x3/14mm
Package: 1900x136x3/14mm | 8 Planks, 2.0672m²/ctn,
1900x190x3/14mm | 6 Planks, 2.166m²/ctn

**PENTHOUSE
WOOD**
AUSTRALIA TIMBER

Grey Ironbark



Type: Engineered Timber

Size: 1900x136x3/14mm
Package: 8 Planks, 2.0672m²/ctn,

**PENTHOUSE
WOOD**
AUSTRALIA TIMBER

Sydney Blue Gum



Type: Engineered Timber

Size: 1900x136x3/14mm
Package: 8 Planks, 2.0672m²/ctn,

**PENTHOUSE
WOOD**
AUSTRALIA TIMBER

Tasmanian Oak



Type: Engineered Timber

Size: 1900x136x3/14mm
Package: 8 Planks, 2.0672m²/ctn,

PENTHOUSE WOOD

AUSTRALIA TIMBER

Blackbutt



Spotted Gum



Jarrah



Grey Ironbark



Sydney Blue Gum



Tasmanian Oak



≅ 14MM

Nominal Size:

1900x136mm (Blackbutt, Spotted Gum, Jarrah, Grey Ironbark, Sydney Blue Gum, Tasmanian Oak)

1900x190mm (Blackbutt, Spotted Gum, Jarrah)

PENTHOUSE WOOD CLASSIC ENGINEERED FLOORS TECHNICAL SPECIFICATIONS



quick and easy
installation

easy
maintenance

TYPE

Engineered Flooring, 3mm Timber Veneer on
11mm Plywood

GRADE & MANUFACTURING PROCESS

AB Grade
Contains Tight and Filled Knots and Natural
Characteristics

COLOR COLLECTIONS

Blackbutt, Spotted Gum, Jarrah, Grey Ironbark,
Sydney Blue Gum, Tasmanian Oak

LOCKING SYSTEM

5G Licensed Click Lock System
Tongue & Groove System

COATING FINISH

9 Layers of Treffert Matt Lacquered Finish

FIRE RATING

CHF (Critical Heat Flux & Critical Radiant Flux)
3.8kw/m²

SLIP RATING

Slip Resistance Value (SRV): 28 (P2) as per Slip
Resistance AS 4586 (2013)

ENVIRONMENTAL & QUALITY CERTIFICATES

VOC E1
ISO9000 Quality Control System and ISO14000
Environment Control System

STRUCTURAL WARRANTY

25 Years Residential; 5 Years Commercial

COATING WARRANTY

5 Years Residential; 3 Years Commercial

Combining quality & environmental control standards throughout the manufacturing process.



As timber is a natural product, the colour, grain and feature patterns will vary in the flooring as in the printed media.
For detail maintenance & installation guidelines please refer to the website.

PENTHOUSE WOOD

AUSTRALIA TIMBER

Sample Boards



Blackbutt



Grey Ironbark



Spotted Gum



Sydney Blue Gum



Jarrah



Tasmanian Oak



Board Size: 540mm(W) x 750mm(H)

PENTHOUSE WOOD

AUSTRALIA TIMBER

Sample Display Stand

Compact design, showing large sample area per colour. Each sample board has all product information. Ideal as a "Silent salesperson".

Displays can be easily relocated throughout the shop, featuring a removable backboard and easy to handle sample pieces.





PHONE: **1300 918 918**
FAX: **+61 2 9644 3353**
sales@everstone.com.au

SYDNEY

HEAD OFFICE

20 PRINCES ROAD EAST
AUBURN NSW 2144
AUSTRALIA

MELBOURNE

168 DISCOVERY ROAD
DANDENONG SOUTH VIC 3175
AUSTRALIA

BRISBANE

PHONE: 0418 886 833

WWW.EVERSTONE.COM.AU